

Rulmenți radiali cu bile pe un rând cu inel interior lat tip US, USC și UD

Dimensiuni									Sarcina radiala de baza		Simbol rulment	Masa
d	d	D	B	C ₁	n	r _s	M	din.	stat.			
mm	inch	mm	mm	mm	mm	mm	mm	C _r	C _{Or}	-	Kg	
19.05	3/4"	47	25	14	7	1	M5x0.8	12.8	6.65	US204-12	0.132	
		47	25	14	7	1	M5x0.9	12.8	6.65	USC204-12	0.134	
20		47	14			1		12.8	6.65	UD204	0.104	
		47	25	14	7	1	M5x0.8	12.8	6.65	US204	0.138	
		47	25	14	7	1	M5x0.9	12.8	6.65	USC204	0.14	
22.225	7/8"	52	27.5	15	7.5	1	M6x1	14	7.85	US205-14	0.15	
		52	27.5	15	7.5	1	M6x1	14	7.85	USC205-14	0.153	
25		52	15			1		14	7.85	UD205	0.128	
		52	27.5	15	7.5	1	M6x1	14	7.85	US205	0.147	
		52	27.5	15	7.5	1	M6x1	14	7.85	USC205	0.15	
25.4	1"	52	15			1		14	7.85	UD205-16	0.13	
		52	27.5	15	7.5	1	M6x1	14	7.85	US205-16	0.144	
		52	27.5	15	7.5	1	M6x1	14	7.85	USC205-16	0.147	
28.575	1"1/18	62	28.5	16	8	1	M6x1	19.5	11.3	US206-18	0.266	
		62	28.5	16	8	1	M6x1	19.5	11.3	USC206-18	0.269	
30		62	28.5	16	8	1	M6x1	19.5	11.3	US206-18	0.252	
		62	28.5	16	8	1	M6x1	19.5	11.3	USC206-18	0.255	
30.163	1"3/16	62	28.5	16	8	1	M6x1	19.5	11.3	US206-19	0.25	
		62	28.5	16	8	1	M6x1	19.5	11.3	USC206-19	0.253	
35		72	17			1.1		25.7	15.4	UD207	0.277	
		72	34	17	8.5	1.1	M8x1	25.7	15.4	US207	0.42	
		72	34	17	8.5	1.1	M8x1	25.7	15.4	USC207	0.42	
45		85	21			1.1		32.7	20.4	UD209F2	0.457	