

Rulmenți radiali oscilanți cu role butoi pe două rânduri, cu bușe de strângere

Dimensiuni				Simbol		Sarcina radiala de baza. Factori						Turatia limita		Masa				
d <sub>1</sub>	d	D	B	r <sub>s</sub>	d <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	Rulment	Bucsa	din. C <sub>r</sub>	e	Y <sub>1</sub>	Y <sub>2</sub>	stat. C <sub>0r</sub>	Y <sub>0</sub>	unsoare	ulei	Kg
mm	mm	mm	mm	mm min.	mm	mm	mm	-	-	KN	KN	KN	KN	KN	KN	min <sup>-1</sup>	min <sup>-1</sup>	
35	40	80	23	1.1	58	36	10	<b>22208CK</b>	<b>H308</b>	88	0.31	2.2	3.2	98	2.1	4800	6300	0.699
	40	90	23	1.5	58	36	10	<b>21308CK</b>	<b>H308</b>	89	0.26	2.6	3.9	120	2.6	4500	6000	0.889
	40	90	33	1.5	58	46	10	<b>22308CK</b>	<b>H2308</b>	140	0.4	1.6	2.5	145	1.6	4300	5600	1.220
40	45	85	23	1.1	65	39	11	<b>22209CK</b>	<b>H309</b>	93	0.3	2.3	3.4	105	2.2	4500	6000	0.798
	45	100	25	1.5	65	39	11	<b>21309CK</b>	<b>H309</b>	120	0.26	2.6	3.9	135	2.6	4000	5300	1.190
	45	100	36	1.5	65	50	11	<b>22309CK</b>	<b>H2309</b>	165	0.4	1.7	2.5	190	1.6	3800	5000	1.580
45	50	90	23	1.1	70	42	12	<b>22210CK</b>	<b>H310</b>	100	0.26	2.6	3.9	120	2.5	4000	5300	0.903
	50	110	27	2	70	42	12	<b>21310CK</b>	<b>H310</b>	120	0.24	2.8	4.1	130	2.7	3600	4800	1.500
	50	110	40	2	70	55	12	<b>22310CK</b>	<b>H2310</b>	190	0.4	1.7	2.5	220	1.6	3400	4500	2.160
50	55	100	25	1.5	75	45	12	<b>22211CK</b>	<b>H311</b>	120	0.27	2.5	3.8	140	2.5	3800	5000	1.150
	55	120	29	2	75	45	12	<b>21311CK</b>	<b>H311</b>	135	0.24	2.8	4.1	155	2.7	3200	4300	1.950
	55	120	43	2	75	59	12	<b>22311CK</b>	<b>H2311</b>	230	0.4	1.7	2.5	265	1.6	3000	4000	2.720
55	60	110	28	1.5	80	47	13	<b>22212CK</b>	<b>H312</b>	145	1.27	2.5	3.7	175	2.4	3400	4500	1.490
	60	130	31	2.1	80	47	13	<b>21312CK</b>	<b>H312</b>	150	0.24	2.9	4.3	180	2.8	3000	4000	2.290
	60	130	46	2.1	80	62	13	<b>22312CK</b>	<b>H2312</b>	270	0.4	1.7	2.5	320	1.7	2800	3800	3.330
60	65	120	31	1.5	85	50	14	<b>22213CK</b>	<b>H313</b>	180	0.28	2.4	3.6	220	2.4	3000	4000	1.860
	65	140	33	2.1	85	50	14	<b>21313CK</b>	<b>H313</b>	220	0.24	2.8	4.2	290	2.8	2800	3800	2.860
	65	140	48	2.1	85	65	14	<b>22313CK</b>	<b>H2313</b>	305	0.39	1.7	2.6	360	1.7	2800	3600	4.010
	70	125	31	2.1	92	52	14	<b>22214CK</b>	<b>H314</b>	180	0.26	2.6	3.9	225	2.6	2800	3800	2.220
	70	150	35	2.1	92	52	14	<b>21314CK</b>	<b>H314</b>	250	0.23	2.9	4.4	310	2.9	2600	3400	3.720
	70	150	51	2.1	92	68	14	<b>22314CK</b>	<b>H2314</b>	375	0.38	1.8	2.6	455	1.7	2400	3200	5.200
65	75	130	31	1.5	98	55	15	<b>22215CKW33</b>	<b>H315</b>	190	0.24	2.8	4.1	250	2.7	2800	3800	2.430
	75	160	37	2.1	98	55	15	<b>21315CKW33</b>	<b>H315</b>	280	0.23	2.9	4.4	360	2.9	2400	3200	4.330
	75	160	55	2.1	98	73	15	<b>22315CKW33</b>	<b>H2315</b>	415	0.38	1.8	2.6	520	1.7	2200	3000	6.200
70	80	140	33	2	105	59	17	<b>22216CKW33</b>	<b>H316</b>	210	0.25	2.6	4	275	2.6	2600	3400	3.080
	80	170	39	2.1	105	59	17	<b>21316CKW33</b>	<b>H316</b>	310	0.23	2.9	4.4	400	2.9	2200	3000	5.230
	80	170	58	2.1	105	78	17	<b>22316MBKW33</b>	<b>H2316</b>	410	0.25	2.6	4	500	2.6	1800	2400	7.380
75	85	150	36	2	110	63	18	<b>22217CKW33</b>	<b>H317</b>	250	0.26	2.6	3.9	325	2.6	2400	3200	3.680
	85	180	41	3	110	63	18	<b>21317CK</b>	<b>H317</b>	350	0.22	3	4.5	450	2.9	2200	2800	6.180
	85	180	63	3	110	82	18	<b>22317MBKW33</b>	<b>H2317</b>	460	0.37	1.8	2.7	570	1.8	1700	2200	8.650
80	90	160	40	2	120	65	18	<b>22218CKW33</b>	<b>H318</b>	305	0.27	2.5	3.8	410	2.5	2200	3000	4.570
	90	160	52.4	2	120	86	18	<b>23218MBK</b>	<b>H2318</b>	340	0.34	2	3	485	2	1500	2000	6.190
	90	190	43	3	120	56	18	<b>21318CK</b>	<b>H318</b>	385	0.22	3	4.5	510	2.9	2200	2800	7.070
	90	190	64	3	120	86	18	<b>22318CKW33</b>	<b>H2318</b>	570	0.36	1.9	2.8	730	1.8	1800	2400	10.200
85	95	170	43	2.1	125	68	19	<b>22219MBKW33</b>	<b>H319</b>	310	0.26	2.6	3.8	415	2.5	2000	2600	5.560
	95	200	45	3	125	68	19	<b>21319MBK</b>	<b>H319</b>	385	0.22	3.1	4.6	530	3	1800	2400	8.560
	95	200	67	3	125	90	19	<b>22319MBKW33</b>	<b>H2319</b>	570	0.38	1.8	2.7	740	1.7	1500	2000	11.900
90	100	180	46	2.1	130	71	20	<b>22220MBKW33</b>	<b>H320</b>	340	0.27	2.5	3.7	455	2.4	2000	2600	6.490
	100	180	60.3	2.1	130	97	20	<b>23220MAKW33</b>	<b>H320</b>	455	0.33	2	3	660	2	1500	2000	8.650
	100	180	60.3	2.1	130	97	20	<b>23220TNKW33</b>	<b>H2320</b>	455	0.33	2	3	660	2	1500	2000	8.650
	100	215	47	3	130	71	20	<b>21320MBK</b>	<b>H320</b>	425	0.22	3.1	4.7	580	3.1	1700	2200	9.990
	100	215	73	3	130	97	20	<b>22320CKW33</b>	<b>H2320</b>	730	0.37	1.8	2.7	960	1.7	1500	2000	15.200
100	110	180	56	2	145	81	21	<b>23122MBKE33</b>	<b>H3122</b>	410	0.3	2.3	3.3	640	2.2	1800	2400	7.750
	110	180	56	2	145	81	21	<b>23122TNKW33</b>	<b>H3122</b>	410	0.3	2.3	3.3	640	2.2	1800	2400	7.750
	110	200	53	2.1	145	77	21	<b>22222MBKW33</b>	<b>H322</b>	540	0.28	2.4	3.5	700	2.3	1700	2200	9.180
	110	200	69.8	2.1	145	105	21	<b>23222MBKW33</b>	<b>H2322</b>	570	0.33	2	3	840	2	1200	1600	12.200
	110	240	50	3	145	77	21	<b>21322MBK</b>	<b>H322</b>	510	0.21	3.2	4.8	690	3.2	1500	2000	13.900
	110	240	80	3	145	105	21	<b>22322CKW33</b>	<b>H2322</b>	870	0.37	1.8	2.7	1160	1.8	1400	1900	20.200
110	120	180	46	2	145	72	22	<b>23024MBKW33</b>	<b>H3024</b>	335	0.24	2.8	4.2	560	2.8	1800	2400	6.030
	120	180	46	2	145	72	22	<b>23024TNKW33</b>	<b>H3024</b>	335	0.24	2.8	4.2	560	2.8	1800	2400	6.030
	120	200	62	2	155	88	22	<b>23124MBKW33</b>	<b>H3124</b>	495	0.31	2.2	3.3	770	2.2	1700	2200	10.200
	120	215	58	2.1	155	88	22	<b>22224CKW33</b>	<b>H3124</b>	560	0.29	2.3	3.5	800	2.3	1700	2200	11.200
	120	215	76	2.1	155	112	22	<b>23224MBKW33</b>	<b>H2324</b>	670	0.37	1.8	2.7	1020	1.8	1100	1500	15.000
	120	260	86	3	155	112	22	<b>22324MBKW33</b>	<b>H2324</b>	930	0.36	1.8	2.7	1230	1.8	1100	1500	25.000
115	130	200	52	2	155	80	23	<b>23026MBKW33</b>	<b>H3026</b>	410	0.23	2.9	4.4	670	2.8	1700	2200	8.850
	130	210	64	2	165	92	23	<b>23126MBKW33</b>	<b>H3126</b>	540	0.3	2.3	3.3	860	2.2	1500	2000	12.000
	130	230	64	3	165	92	23	<b>22226CKW33</b>	<b>H3126</b>	660	0.29	2.3	3.5	960	2.3	1700	2200	17.500

Dimensiuni								Simbol		Sarcina radiala de baza. Factori						Turatia limita		Masa
d <sub>1</sub>	d	D	B	r <sub>s</sub>	d <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	Rulment	Bucsa	din.	e	Y <sub>1</sub>	Y <sub>2</sub>	stat.	Y <sub>0</sub>	unsoare	ulei	Kg
mm	mm	mm	mm	mm	mm	mm	mm	-	-	C <sub>r</sub>	KN	KN	KN	KN	KN	KN	KN	KN
	130	230	80	3	165	121	23	<b>23226MBKW33</b>	<b>H2326</b>	760	0.33	2	3	1170	2	1100	1500	18.400
	130	280	93	4	165	121	23	<b>22326MBKW33</b>	<b>H2326</b>	1080	0.37	1.8	2.7	1450	1.8	1100	1400	32.900
125	140	210	53	2	165	82	24	<b>23028MBKW33</b>	<b>H3028</b>	435	0.22	3	4.6	750	2.8	1500	2000	9.160
	140	225	68	2.1	180	97	24	<b>23128MBKW33</b>	<b>H3128</b>	600	0.3	2.3	3.3	990	2.2	1400	1800	14.500
	140	250	68	3	180	97	24	<b>22228MBKW33</b>	<b>H3128</b>	670	0.29	2.3	3.5	990	2.3	1300	1700	18.100
	140	250	88	3	180	131	24	<b>23228MBKW33</b>	<b>H2328</b>	880	0.37	1.8	2.7	1380	1.8	1000	1300	23.800
	140	300	102	4	180	131	24	<b>22328MBKW33</b>	<b>H2328</b>	1240	0.38	1.7	2.6	1720	1.7	1000	1300	39.700
135	150	225	56	2.1	180	87	26	<b>23030MBKW33</b>	<b>H3030</b>	480	0.22	3	4.6	830	2.8	1400	1800	11.700
	150	250	80	2.1	195	111	26	<b>23130MBKW33</b>	<b>H3130</b>	800	0.32	2.1	3.2	1320	2.1	1300	1700	21.500
	150	270	73	3	195	111	26	<b>22230MBKW33</b>	<b>H3130</b>	810	0.29	2.3	3.5	1190	2.3	1200	1600	23.200
	150	270	96	3	195	139	26	<b>23230MBKW33</b>	<b>H2330</b>	1030	0.38	1.8	2.7	1610	1.7	1000	1300	30.600
	150	320	108	4	195	139	26	<b>22330MBKW33</b>	<b>H2330</b>	1400	0.38	1.7	2.6	1940	1.7	1000	1300	49.700
140	160	240	60	2.1	190	93	28	<b>23032MBKW33</b>	<b>H3032</b>	560	0.22	3	4.6	970	2.8	1300	1700	14.700
	160	270	86	2.1	210	119	28	<b>23132MBKW33</b>	<b>H3132</b>	930	0.32	2.1	3.2	1510	2.1	1200	1600	27.800
	160	290	104	3	210	147	28	<b>23232MBKW33</b>	<b>H2332</b>	1180	0.38	1.8	2.7	1830	1.7	900	1200	40.200
	160	290	80	3	210	119	28	<b>22232MBKW33</b>	<b>H3132</b>	950	0.29	2.3	3.4	1420	2.3	1100	1500	30.600
	160	340	114	4	210	147	28	<b>22332MBKW33</b>	<b>H2332</b>	1520	0.37	1.8	2.7	2160	1.8	900	1200	59.100
150	170	260	67	2.1	200	101	29	<b>23034MBKW33</b>	<b>H3034</b>	680	0.23	2.9	4.4	1170	2.8	1200	1600	19.300
	170	280	88	2.1	220	122	29	<b>23134MBKW33</b>	<b>H3134</b>	990	0.31	2.2	3.2	1650	2.1	1100	1500	30.400
	170	310	110	4	220	154	29	<b>23234MBKW33</b>	<b>H2334</b>	1340	0.36	1.9	2.8	2120	1.8	850	1100	47.400
	170	310	86	4	220	122	29	<b>22234MBKW33</b>	<b>H3134</b>	1080	0.3	2.3	3.4	1610	2.2	1100	1400	36.800
	170	360	120	4	220	154	29	<b>22334MBKW33</b>	<b>H2334</b>	1690	0.37	1.8	2.7	2380	1.8	850	1100	70.400
160	180	280	74	2.1	210	109	30	<b>23036MBKW33</b>	<b>H3036</b>	800	0.24	2.8	4.2	1380	2.8	1100	1500	23.800
	180	300	96	3	230	131	30	<b>23136MBKW33</b>	<b>H3136</b>	1160	0.32	2.1	3.1	1940	2.1	1100	1400	37.500
	180	320	112	4	230	161	30	<b>23236MBKW33</b>	<b>H2336</b>	1420	0.36	1.9	2.8	2330	1.8	750	1000	51.400
	180	320	86	4	230	131	30	<b>22236MBKW33</b>	<b>H3136</b>	1110	0.29	2.3	3.5	1720	2.3	1100	1400	38.900
	180	380	126	4	230	161	30	<b>22336MBKW33</b>	<b>H2336</b>	1900	0.37	1.8	2.7	2700	1.8	850	1100	79.500
170	190	290	75	2.1	220	112	31	<b>23038MBKW33</b>	<b>H3038</b>	830	0.26	2.6	3.9	1470	2.6	1100	1400	25.500
	190	320	104	3	240	141	31	<b>23138MBKW33</b>	<b>H3138</b>	1320	0.33	2	3	2290	2	1100	1400	45.800
	190	340	120	4	240	169	31	<b>23238MBKW33</b>	<b>H2338</b>	1610	0.36	1.9	2.8	2640	1.8	750	1000	60.700
	190	340	92	4	240	141	31	<b>22238MBKW33</b>	<b>H3138</b>	1220	0.29	2.3	3.4	1870	2.3	1000	1300	48.000
	190	400	132	5	240	169	31	<b>22338MBKW33</b>	<b>H2338</b>	2060	0.37	1.8	2.7	2920	1.8	750	1000	95.600
180	200	310	82	2.1	240	120	32	<b>23040CAKW33</b>	<b>H3040</b>	880	0.24	2.8	4.2	1560	2.8	1100	1500	32.690
	200	340	112	3	250	150	32	<b>23140CAKW33</b>	<b>H3140</b>	1370	0.35	1.9	2.9	2460	1.9	1100	1400	55.600
	200	360	128	4	250	176	32	<b>23240MBKW33</b>	<b>H2340</b>	1620	0.35	1.9	2.9	2590	1.8	750	1000	72.400
	200	360	98	4	250	150	32	<b>22240CAKW33</b>	<b>H3140</b>	1250	0.29	2.3	3.4	2020	2.3	1100	1400	57.100
	200	420	138	5	250	176	32	<b>22340MBKW33</b>	<b>H2340</b>	1910	0.36	1.8	2.8	2750	1.8	670	900	108.900
200	220	340	90	3	260	126	30	<b>23044CAKW33</b>	<b>H3044H</b>	1090	0.24	2.8	4.2	1890	2.8	1100	1400	41.300
	220	340	90	3	260	126	30	<b>23044CKW33</b>	<b>H3044</b>	1155	0.24	2.8	4.2	2053	2.8	1100	1400	40.800
	220	340	90	3	260	126	30	<b>23044MBKW33</b>	<b>H3044</b>	1025	0.24	2.8	4.2	1730	2.8	1000	1300	41.800
	220	370	120	4	280	161	35	<b>23144CAKW33</b>	<b>H3144H</b>	1515	0.3	2.3	3.4	2509	2.2	1000	1300	66.700
	220	370	120	4	280	161	35	<b>23144CF31KW33</b>	<b>H3144</b>	1440	0.3	2.3	3.4	2354	2.2	1000	1300	63.200
	220	370	120	4	280	161	35	<b>23144MBKW33</b>	<b>H3144</b>	1455	0.3	2.3	3.4	2380	2.2	900	1200	69.200
	220	400	108	4	280	161	35	<b>22244CAKW33</b>	<b>H3144H</b>	1575	0.29	2.3	3.4	2355	2.3	900	1200	76.700
	220	400	108	4	280	161	35	<b>22244CF31KW33</b>	<b>H3144</b>	1545	0.29	2.3	3.4	2300	2.3	900	1200	75.700
	220	400	108	4	280	161	35	<b>22244MBKW33</b>	<b>H3144</b>	1485	0.29	2.3	3.4	2483	2.3	850	1100	77.700
	220	400	144	4	280	186	35	<b>23244CAKW33</b>	<b>H2344H</b>	1990	0.35	1.9	2.9	3220	1.8	670	900	98.200
	220	400	144	4	280	186	35	<b>23244CKW33</b>	<b>H2344</b>	2065	0.35	1.9	2.9	3380	1.8	670	900	96.200
	220	400	144	4	280	186	35	<b>23244MBKW33</b>	<b>H2344</b>	1850	0.35	1.9	2.9	2899	1.8	600	800	99.200
	220	460	145	5	280	186	35	<b>23244CAKF3W33</b>	<b>H2344</b>	2380	0.36	1.8	2.8	3407	1.8	700	950	144.700
	220	460	145	5	280	186	35	<b>23244CKW33</b>	<b>H2344H</b>	2450	0.36	1.8	2.8	3614	1.8	700	950	136.700
220	240	360	92	3	290	133	34	<b>23048CAKW33</b>	<b>H3048H</b>	1145	0.23	2.9	4.4	2048	2.8	1000	1300	47.200
	240	360	92	3	290	133	34	<b>23048CF31KW33</b>	<b>H3048</b>	1105	0.23	2.9	4.4	1969	2.8	1000	1300	46.700
	240	360	92	3	290	133	34	<b>23048MBKW33</b>	<b>H3048</b>	1105	0.23	2.9	4.4	1969	2.8	900	1200	47.700
	240	400	128	4	300	172	37	<b>23148CAKW33</b>	<b>H3148H</b>	1705	0.3	2.3	3.4	2863	2.2	900	1200	83.300
	240	400	128	4	300	172	37	<b>23148MBKW33</b>	<b>H3148H</b>	1640	0.3	2.3	3.4	2720	2.2	850	1100	84.800
	240	440	120	4	300	172	37	<b>22248CAKW33</b>	<b>H3148H</b>	1845	0.29	2.3	3.4	2763	2.3	850	1100	100.300
	240	440	120	4	300	172	37	<b>22248MBKW33</b>	<b>H3148</b>	1815	0.29	2.3	3.4	2701	2.3	750	1000	102.800
	240	440	160	4	300	199	37	<b>23248CAKW33</b>	<b>H2348H</b>	2530	0.35	1.9	2.9	4600	1.8	630	850	128.700

Dimensiuni								Simbol		Sarcina radiala de baza. Factori						Turatia limita		Masa
d <sub>1</sub>	d	D	B	r <sub>s</sub>	d <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	Rulment	Bucsa	din.	e	Y <sub>1</sub>	Y <sub>2</sub>	stat.	Y <sub>0</sub>	unsoare	ulei	Kg
mm	mm	mm	mm	mm	mm	mm	mm	-	-	C <sub>r</sub>	KN	KN	KN	KN	KN	min <sup>-1</sup>	min <sup>-1</sup>	
	240	440	160	4	300	199	37	23248CF31KW33	H2348H	2390	0.35	1.9	2.9	3882	1.8	630	850	127.700
	240	440	160	4	300	199	37	23248MBKW33	H2348H	2370	0.35	1.9	2.9	3837	1.8	560	750	129.700
	240	500	155	5	300	199	37	22348MBKW33	H2348H	2650	0.31	2.2	3.3	4000	2.2	560	750	170.700
240	260	400	104	4	310	145	34	23052CAKW33	H3052H	1430	0.23	2.9	4.4	2533	2.8	900	1200	64.800
	260	400	104	4	310	145	34	23052CKW33	H3052	1540	0.23	2.9	4.4	2796	2.8	900	1200	63.800
	260	400	104	4	310	145	34	23052MBKW33	H3052	1380	0.23	2.9	4.4	2417	2.8	850	1100	65.800
	260	440	144	4	330	190	39	23152CAKW33	H3152H	2155	0.31	2.2	3.3	3673	2.2	850	1100	114.500
	260	440	144	4	330	190	39	23152MBKW33	H3152	2025	0.31	2.2	3.3	3391	2.2	750	1100	115.500
	260	480	130	5	330	190	39	22252CAKW33	H3152H	2190	0.29	2.3	3.4	3300	2.3	750	1000	129.000
	260	480	130	5	330	190	39	22252MBKW33	H3152	2150	0.29	2.3	3.4	3232	2.3	670	900	133.000
	260	480	174	5	330	211	39	23252MBKW33	H2352H	2700	0.36	1.8	2.8	4350	1.8	500	670	166.200
	260	540	165	6	330	211	39	22352CAKF3W33	H2352H	3125	0.36	1.8	2.8	4560	1.8	600	800	220.200
	260	540	165	6	330	211	39	22352CKW33	H2352H	3215	0.36	1.8	2.8	4836	1.8	600	800	211.200
260	280	420	106	4	330	152	38	23056CAKW33	H3056H	1500	0.23	2.9	4.4	2731	2.8	850	1100	69.700
	280	420	106	4	330	152	38	23056CF31KW33	H3056	1475	0.23	2.9	4.4	2684	2.8	850	1100	68.200
	280	420	106	4	330	152	38	23056CKW33	H3056	1530	0.23	2.9	4.4	2830	2.8	850	1100	68.200
	280	420	106	4	330	152	38	23056MBKW33	H3056	1430	0.23	2.9	4.4	2571	2.8	750	1000	70.700
	280	460	146	5	350	192	38	23156CAKW33	H3156H	2295	0.3	2.3	3.4	4050	2.2	750	1000	123.000
	280	460	146	5	350	192	38	23156MBKW33	H3156	2295	0.3	2.3	3.4	4050	2.2	670	900	124.500
	280	500	130	5	350	192	38	22256CAKW33	H3156H	2280	0.29	2.3	3.4	3546	2.3	700	950	139.500
	280	500	130	5	350	192	38	22256CKW33	H3156	2330	0.29	2.3	3.4	4074	2.3	700	950	137.500
	280	500	130	5	350	192	38	22256MBKW33	H3156	2260	0.29	2.3	3.4	3502	2.3	630	850	140.500
	280	500	176	5	350	221	38	23256MBKW33	H2356H	2806	0.35	1.9	2.9	4645	1.8	480	630	180.500
	280	580	175	6	350	221	38	22356CAKF3W33	H2356H	3530	0.36	1.8	2.8	5208	1.8	560	750	262.800
280	300	460	118	4	360	169	42	23060CAKW33	H3060H	1815	0.23	2.9	4.4	3268	2.8	750	1000	93.800
	300	460	118	4	360	169	42	23060MBKW33	H3060	1720	0.23	2.9	4.4	3052	2.8	670	900	96.300
	300	500	160	5	380	208	40	23160CAKW33	H3160H	2635	0.3	2.3	3.4	4485	2.2	700	950	159.200
	300	500	160	5	380	208	40	23160MBKW33	H3160H	2508	0.3	2.3	3.4	4318	2.2	630	850	160.200
	300	540	140	5	380	208	40	22260CAKW33	H3160H	2670	0.29	2.3	3.4	4176	2.3	670	900	172.200
	300	540	140	5	380	208	40	22260MBKW33	H3160H	2615	0.29	2.3	3.4	4072	2.3	600	800	175.200
	300	540	192	5	380	208	40	23260CAKW33	H3260H	3418	0.35	1.9	2.9	5778	1.8	500	670	226.100
	300	540	192	5	380	208	40	23260MBKW33	H3260H	3305	0.35	1.9	2.9	5528	1.8	450	600	229.100
300	320	480	121	4	380	171	42	23064CAKW33	H3064H	1895	0.23	2.9	4.4	3511	2.8	700	950	103.600
	320	480	121	4	380	171	42	23064MBKW33	H3064H	1810	0.23	2.9	4.4	3313	2.8	630	850	104.100
	320	540	176	5	400	226	42	23164CAKW33	H3164H	3115	0.34	2	3	5477	1.9	670	900	199.900
	320	540	176	5	400	226	42	23164MBKW33	H3164H	2855	0.34	2	3	4892	1.9	600	800	205.900
	320	580	150	5	400	226	42	22264CAKW33	H3164H	3150	0.29	2.5	3.7	5100	2.5	630	850	214.900
	320	580	150	5	400	226	42	22264MBKW33	H3164H	3095	0.29	2.5	3.7	4892	2.5	560	750	215.900
	320	580	208	5	400	258	42	23264CAKW33	H3264H	4130	0.35	1.9	2.9	7060	1.8	480	630	280.300
	320	580	208	5	400	258	42	23264MBKW33	H3264H	4130	0.35	1.9	2.9	7060	1.8	430	560	286.300
320	340	460	90	3	400	187	45	23968MBKW33	H3068H	1306	0.18	3.7	5.6	2691	3.7	630	850	73.700
	340	520	133	5	400	187	45	23068CAKW33	H3068H	2272	0.24	2.8	4.2	4184	2.8	670	900	134.700
	340	520	133	5	400	187	45	23068MBKW33	H3068H	2203	0.24	2.8	4.2	4020	2.8	600	800	136.700
	340	580	190	5	440	254	55	23168CAKW33	H3168H	3605	0.31	2.2	3.3	6409	2.2	630	850	261.500
	340	580	190	5	440	254	55	23168MBKW33	H3168H	3270	0.31	2.2	3.3	5520	2.2	560	750	265.500
	340	620	224	6	440	288	55	23268CAKW33	H3268H	4577	0.35	1.9	2.9	7918	1.8	450	600	356.500
340	360	540	134	5	420	188	45	23072CAKW33	H3072H	2367	0.23	2.9	4.4	4481	2.8	630	850	140.500
	360	540	134	5	420	188	45	23072MBKW33	H3072H	2255	0.23	2.9	4.4	4214	2.8	560	750	141.500
	360	600	192	5	460	259	58	23172CAKW33	H3172H	3740	0.33	2.3	3.4	7010	2.2	600	800	274.200
	360	600	192	5	460	259	58	23172MBKW33	H3172H	3443	0.33	2.3	3.4	6031	2.2	530	700	282.200
	360	650	232	6	460	299	58	23272CAKF3W33	H3272H	4880	0.35	1.9	2.9	8490	1.8	430	560	404.500
360	380	560	135	5	450	193	48	23076CAKW33	H3076H	2500	0.22	3	4.6	4880	2.8	600	800	150.800
	380	560	135	5	450	193	48	23076MBKW33	H3076H	2225	0.22	3	4.6	4195	2.8	530	700	152.800
	380	620	194	5	490	264	60	23176CAKW33	H3176H	3740	0.3	2.3	3.4	7540	2.2	560	750	301.700
	380	620	194	5	490	264	60	23176MBKW33	H3176H	3535	0.3	2.3	3.4	6350	2.2	500	670	303.700
	380	680	240	6	490	310	60	23276CAKW33	H3276H	5050	0.35	1.9	2.9	9660	1.8	400	530	444.500
	380	680	240	6	490	310	60	23276MBKW33	H3276H	4880	0.35	1.9	2.9	8440	1.8	360	480	459.500
380	400	600	148	5	470	210	52	23080CAKW33	H3080H	2855	0.23	2.9	4.4	5465	2.8	560	750	191.300
	400	600	148	5	470	210	52	23080MBKW33	H3080H	2645	0.23	2.9	4.4	4970	2.8	500	670	193.300

Dimensiuni								Simbol		Sarcina radiala de baza. Factori						Turatia limita		Masa
d <sub>1</sub>	d	D	B	r <sub>s</sub> min.	d <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	Rulment	Bucsa	din. C <sub>r</sub>	e	Y <sub>1</sub>	Y <sub>2</sub>	stat. C <sub>0r</sub>	Y <sub>0</sub>	unsoare	ulei	Kg
mm	mm	mm	mm	mm	mm	mm	mm	-	-	KN	KN	KN	KN	KN	KN	min <sup>-1</sup>	min <sup>-1</sup>	
400	400	650	200	6	520	272	62	<b>23180CAKW33</b>	<b>H3180H</b>	4100	0.28	2.4	3.6	7730	2.5	530	700	335.600
	400	650	200	6	520	272	62	<b>23180MBKW33</b>	<b>H3180H</b>	3920	0.28	2.4	3.6	7164	2.5	480	630	340.600
	400	720	256	6	520	328	62	<b>23280CAKF3W33</b>	<b>H3280H</b>	5950	0.35	1.9	2.9	10807	1.8	380	500	546.000
400	420	620	150	5	490	212	52	<b>23084CAKW33</b>	<b>H3084H</b>	3050	0.24	2.8	4.2	6055	2.7	560	750	198.700
	420	620	150	5	490	212	52	<b>23084MBKW33</b>	<b>H3084H</b>	2825	0.24	2.8	4.2	5480	2.7	500	670	203.700
	420	700	224	6	540	304	70	<b>23184CAKW33</b>	<b>H3184H</b>	4600	0.33	2	3	9000	2	500	670	447.200
	420	760	272	7.5	540	352	70	<b>23284CAKW33</b>	<b>H3284H</b>	6575	0.35	1.9	2.9	11714	1.8	360	480	652.000
	420	760	272	7.5	540	352	70	<b>23284MBKW33</b>	<b>H3284H</b>	6215	0.35	1.9	2.9	10720	1.8	320	430	665.000
410	440	650	157	6	520	228	60	<b>23088CAKW33</b>	<b>H3088H</b>	3345	0.22	3	4.6	6700	2.8	530	700	245.200
	440	720	226	6	560	307	70	<b>23188CAKW33</b>	<b>H3188H</b>	5250	0.3	2.3	3.4	10000	2.2	500	670	464.000
	440	790	280	7.5	560	361	70	<b>23288CAKW33</b>	<b>H3288H</b>	6700	0.35	1.9	2.9	12780	1.8	360	480	730.000
430	460	680	163	6	540	234	60	<b>23092CAKW33</b>	<b>H3092H</b>	3300	0.18	3.7	5.6	6900	3.7	500	670	274.500
	460	680	163	6	540	234	60	<b>23092MBKW33</b>	<b>H3092H</b>	3200	0.18	3.7	5.6	6170	3.7	450	600	278.500
	460	760	240	7.5	580	326	75	<b>23192CAKW33</b>	<b>H3192H</b>	5760	0.3	2.3	3.4	11025	2.2	480	630	557.000
	460	830	296	7.5	580	382	75	<b>23292CAKW33</b>	<b>H3292H</b>	7350	0.35	1.9	2.9	14350	1.9	340	450	849.000
450	480	700	165	6	560	237	60	<b>23096CAKW33</b>	<b>H3096H</b>	3300	0.23	2.9	4.4	6900	2.9	480	630	288.300
	480	790	248	7.5	620	335	75	<b>23196CAKW33</b>	<b>H3196H</b>	5800	0.3	2.3	3.4	11800	2.2	450	600	618.000
470	500	670	128	5	580	201	68	<b>239/500CAKW33</b>	<b>H39/500H</b>	2530	0.17	4	6	5800	4	480	630	206.000
	500	720	167	6	580	247	68	<b>230/500MBKW33</b>	<b>H30/500H</b>	3740	0.21	3.2	4.8	7815	3.2	430	560	306.800
	500	830	264	7.5	630	356	80	<b>231/500CAKW33</b>	<b>H31/500H</b>	6550	0.3	2.3	3.4	13200	3.2	430	560	723.000
500	530	710	136	5	630	216	68	<b>239/530CAKW33</b>	<b>H39/530H</b>	2980	0.17	4	5.9	6755	4	450	600	241.000
	530	780	185	6	630	265	68	<b>230/530CAKW33</b>	<b>H30/530H</b>	4985	0.23	2.9	4.4	10542	2.9	450	600	420.000
530	560	750	140	5	650	227	75	<b>239/560CAKW33</b>	<b>H39/560H</b>	2980	0.16	4.2	6.3	7451	4	450	600	276.000
	560	820	195	6	650	282	75	<b>230/560CAKW33</b>	<b>H30/560H</b>	5245	0.22	3	4.6	11134	2.8	430	560	472.000
560	600	800	150	5	700	239	75	<b>239/600CAKW33</b>	<b>H39/600H</b>	3640	0.16	4.2	6.3	8420	4	400	530	348.000
	600	870	200	6	700	289	75	<b>230/600MBKW33</b>	<b>H30/600H</b>	5610	0.22	3	4.6	12020	2.8	360	480	556.000
600	630	850	165	6	730	254	75	<b>239/630CAKW33</b>	<b>H39/630H</b>	4290	0.17	4	5.9	9910	4	380	500	401.000
	630	920	212	7.5	730	301	75	<b>230/630CAKW33</b>	<b>H30/630H</b>	6175	0.21	3.2	4.8	13173	3.2	380	500	624.000
630	670	900	170	6	780	264	80	<b>239/670CAKW33</b>	<b>H39/670H</b>	4370	0.17	4	5.9	10300	4	360	480	489.000
	670	980	230	7.5	780	324	80	<b>230/670CAKW33</b>	<b>H30/670H</b>	6580	0.21	3.2	4.8	14400	3.2	340	450	793.000
670	710	950	180	6	830	286	90	<b>239/710CAKW33</b>	<b>H39/710H</b>	4680	0.17	4	5.9	12230	4	340	450	582.000
	710	1030	236	7.5	830	342	90	<b>230/710CAKW33</b>	<b>H30/710H</b>	6665	0.21	3.2	4.8	17000	3.2	320	430	891.000
710	750	1000	185	6	870	291	90	<b>239/750CAKW33</b>	<b>H39/750H</b>	5474	0.16	4.2	6.3	13085	4	320	430	646.000
750	800	1060	195	6	920	303	90	<b>239/800MBKW33</b>	<b>H39/800H</b>	6131	0.16	4.2	6.3	15016	4	280	360	772.000
	800	1150	258	7.5	920	336	90	<b>230/800MBKW33</b>	<b>H30/800H</b>	9389	0.2	3.4	5	21295	3.2	260	340	1206.000
800	850	1120	200	6	980	308	90	<b>239/850CAKW33</b>	<b>H39/850H</b>	6450	0.16	4.2	6.3	15880	4	280	380	867.000
850	900	1180	206	6	1030	326	100	<b>239/900CAKW33</b>	<b>H39/900H</b>	6930	0.15	4.5	6.7	17120	4.5	280	360	979.000
900	950	1250	224	7.5	1080	344	100	<b>239/950CAKW33</b>	<b>H39/950H</b>	7310	0.15	4.5	6.7	19500	4.5	260	340	1117.000